

CARBOHYDRATE RESEARCH VOL. 200 (1990)

AUTHOR INDEX

- Albersheim, P., 9
 Angyal, S. J., 181
 Antonakis, K., 493
 Aspinall, G. O., 247
 Augé, C., 257
 Azadi, P., 59

 Baer, H. H., 377
 Barnes, J. C., 77
 BeMiller, J. N., 111
 Benamghar, R., 493
 Bernardinelli, G., 469
 Bessodes, M., 493
 Beurret, M., 59
 Beynon, L. M., 457
 Bizzozero, N., 469
 Bock, K., 33
 Brandenburg, H., 339
 Breton, R. L., 377
 Brimacombe, J. S., 77

 Cashmore, G. C., 47
 Casu, B., 101
 Chai, W., 47
 Cortes Garcia, R., 307

 Darvill, A. G., 9
 Defaye, J., 497
 Dell, A., 59
 Dutton, G. G. S., 449, 457

 Ermolenko, M. S., 209
 Esswein, A., 287

 Feizi, T., 47
 Fernandez-Fernandez, R., 257
 Ferrier, R. J., 237
 Focher, B., 101

 Gadelle, A., 497
 Garegg, P. J., 475
 Gautheron, C., 257
 Geoffroy, M., 469
 Gluzinski, P., 1
 Gómez-Sánchez, A., 167
 Grenni, A., 101

 Hasegawa, A., 269
 Hermosin, I., 167

 Heume, M., 127
 Hough, L., 307
 Hounsell, E. F., 47
 Hvidt, T., 33

 Ibrahim, I. H., 247
 Irvine, D. J., 77
 Ishida, H., 269

 Jackson, G. E., 409
 Jennings, H. J., 59

 Kalabokis, V. N., 111
 Kameyama, A., 269
 Khan, R., 189
 Khare, N. K., 247
 Kiso, M., 269
 Kochetkov, N. K., 209
 Köll, P., 339
 Kopf, J., 339
 Krajewski, J. W., 1

 Lawson, A. M., 47
 de Lederkremer, R. M., 227
 Lehmann, J., 355
 Lichtenthaler, F. W., 91
 Lindberg, B., 429
 Lindner, H. J., 91
 Lipták, A., 201

 Marino, C., 227
 Marino-Albernas, J., 33
 Marra, A., 319
 Maya, I., 167
 Michon, F., 59
 Mufti, K. S., 189
 Myers, R. W., 111

 Naggi, A., 101
 Nakahara, Y., 363
 Neumann, B., 355
 Nürnberger, H., 127

 Ogawa, S., 486
 Ogawa, T., 363
 Oscarson, S., 475

 Painter, T. J., 403
 Patel, G., 189

- Parolis, H., 449
Parolis, L. A. S., 449
Paulsen, H., 127
Pedersen, C., 497
Perlin, A. S., 437
Pitha, J., 429

Ramza, J., 1
Rao, C. T., 429
Ravenscroft, N., 409
Rej, R. N., 437
Rembold, H., 287
Richardson, A. C., 307

Schmidt, R. R., 287
Seelhorst, W., 339
Seffers, P., 429
Shen, Y., 377
Shibata, Y., 486
Sinaÿ, P., 319
Snatzke, G., 201
Stanley, S. M. R., 449
Stephen, A. M., 409
Stoll, M. S., 47
Sturgeon, R. J., 499
Stütz, A. E., 237

Suami, T., 486
Svensson, S. C. T., 391
Sviridov, A. F., 209
Szurmai, Z., 201

Takeo, K., 481
Thiem, J., 391
Thomas-Oates, J., 59
Tidén, A.-K., 475
Tiller, P., 59
Torri, G., 101
Tronchet, J. M. J., 469

Urbańczyk-Lipkowska, Z., 1

van Halbeek, H., 9
Varela, O., 227
Verez-Bencomo, V., 33
Virtuani, M., 101

Yadav, M. P., 111
Yashunsky, D. V., 209
York, W. S., 9

Zamojski, A., 1

CARBOHYDRATE RESEARCH VOL. 200 (1990)

SUBJECT INDEX

- Acarviosin and 6-acetoxy analogue, synthesis of methyl hexa-*O*-acetyl, 486
- Acetals of D-hexopyranose residues, a stereoselective synthesis of pyruvic 4,6-, 247
- Alditols, 1-deoxy-1-nitro-, crystal structures of, 339
- Alkyl glycosides, n.m.r. studies of aqueous systems of cyclomaltohexaose and, 101
- O*-Alkylation at the anomeric centre for the stereoselective synthesis of Kdo- α -glycosides, 287
- Amino sugars, reaction of malondialdehyde with, 167
- 2-Amino-2-deoxy-D-glucose, a reinvestigation of the use of *N*-*p*-methoxybenzylidene derivatives of, as glycosyl donors, 319
- 3-Aminoinosose derivatives, two routes to enantiomerically pure, 237
- Analysis of oligosaccharide epitopes of meningococcal lipopolysaccharides by f.a.b.-mass spectrometry, 59
- 1,6-Anhydro- β -D-glucopyranose (levoglucosan), stereocontrolled synthesis of lankanolide segments from, 209
- Anomalous Zemlén deacylation reactions of 2-*O*-acyl-3-*O*-alkyl or -3-*O*-glycosyl derivatives of D-galactose and D-glucose, 201
- Antigen, the structure of *Escherichia coli* K26, 457
- Bacteriophage-mediated depolymerisation in investigations of the structure of the capsular polysaccharide from *Klebsiella* serotype K71, the use of, 409
- "Bisected" structures of *N*-glycoproteins, synthesis of nonasaccharide sequence of, 127
- Carbohydrates, a reappraisal of the complexing of copper ions with, 181
- Chair distortion in "tetra-axial" derivatives of 2,3,4-tri-*O*-benzoyl- β -D-xylopyranose, on the extent of, 91
- 4-Chloro-4-deoxy- α -D-galactopyranosyl 3,4-anhydro-1,6-dichloro-1,6-dideoxy- β -D-lyxo-hexulofuranoside, synthesis and ring-opening reactions of, 189
- Complexing of carbohydrates with copper ions: a reappraisal, 181
- Configurational reassignment of *N*-substituted methyl 3,6-di-*O*-benzoyl-2-deoxy-2-hydroxy-amino- α -D-hexopyranosid-4-uloses, 469
- Conformational and X-ray investigation of 6-deoxy-7-*C*-(2-furyl)-1,2,3,4-di-*O*-isopropylidene-L-glycero- α -D-galacto-heptopyranose, 1
- Convenient preparation of per-2,6-di-*O*-methylcyclomalto-oligosaccharides, 481
- Convenient syntheses of 5-*O*- and 3,5-di-*O*-(β -D-galactofuranosyl)-D-galactofuranose, 227
- Copper ions, a reappraisal of the complexing of carbohydrates with, 181
- Crystallographic conformations of two enopyranuronates, the effect of double-bond geometry on the, 77
- Cyclomaltoheptaose, distribution of substituents in 2-hydroxypropyl ethers of, 429
- Cyclomaltohexaose, n.m.r. studies of aqueous systems of alkyl glycosides and, 101
- Cyclomalto-oligosaccharides, a convenient preparation of per-2,6-di-*O*-methyl-, 481
- Deacylation reactions of 2-*O*-acyl-3-*O*-alkyl or -3-*O*-glycosyl derivatives of D-galactose and D-glucose, 201
- 1-Deoxy-1-nitroalditols, crystal structures of, 339
- Details of the fine structure of nigeran revealed by the kinetics of its oxidation by periodate, 403
- Diastereoisomers of the pseudodisaccharide (3,4,6/5)-3,4-epoxy-6-(β -D-galactopyranosylthio)-5-hydroxycyclohexene, synthesis of the, 355
- Di-*O*-isopropylidene-L-glycero- α -D-galacto-heptopyranose, X-ray and conformational investigation of 6-deoxy-7-*C*-(2-furyl)-1,2,3,4-, 1
- Distribution of substituents in 2-hydroxypropyl ethers of cyclomaltoheptaose, 429
- Double-bond geometry on the crystallographic conformations of two enopyranuronates, the effect of, 77
- Enantiomers of galactose, the enzymic determination of the, 499
- Enopyranuronates, the effect of double-bond geometry on the crystallographic conformations of two, 77
- Enzymic determination of the enantiomers of galactose, 499
- Escherichia coli* K26 antigen, the structure of, 457
- Escherichia coli* O9:K57:H32, a structural investigation of the capsular polysaccharide of, 449

- α -L-Fucosyl disaccharides, purification of α -L-fucosidase by C-glycosylic affinity chromatography, and the enzymic synthesis of, 391
- O-(β -D-Galactofuranosyl)-D-galactofuranose, convenient syntheses of 5-O- and 3,5-di-, 227
- (β -D-Galactopyranosylmethyl)amines and C- β -D-galactopyranosyl-formamides, N-substituted, and related compounds, synthesis, 111
- Galactose, the enzymic determination of the enantiomers of, 499
- Galacturonic acid trisaccharides, synthesis of (1 \rightarrow 4)-linked, a proposed plant wound-hormone and a stereoisomer, 363
- α -L-Galacturonic acid unit, conversion of α -L-iduronic 2-sulfate unit of heparin into, 437
- Glycolipid of *Mycobacterium leprae*, n.m.r. and conformational analysis of the terminal trisaccharide from the serologically active, in different solvents, 33
- N-Glycoproteins, synthesis of nonasaccharide sequence of "bisected" structure of, 127
- Glycosyl donors, a reinvestigation of the use of N-3-methoxybenzylidene derivatives of 2-amino-2-deoxy-D-glucose as, 319
- C-Glycosylic affinity chromatography, purification of α -L-fucosidase by, and the enzymic synthesis of α -L-fucosyl disaccharides, 391
- Glycosyltransferases in the synthesis of sialyloligosaccharides, the use of immobilised, 257
- Goniothalenol, a short route to α,β -unsaturated-7,3-lactone-nucleosides related to, 493
- Heparin, conversion of α -L-iduronic acid 2-sulfate into α -L-galacturonic acid unit in, 437
- High-sensitivity structural analyses of oligosaccharide probes (neoglycolipids) by liquid-secondary-ion mass spectrometry, 47
- Hydroxypropyl ethers of cyclomaltoheptaose, distribution of substituent in 2-, 429
- α -L-Iduronic acid 2-sulfate unit of heparin conversion into α -L-galacturonic acid unit of, 437
- Interaction of cyclodextrins (cyclomalto-oligosaccharides) with glycolipids: n.m.r. studies of aqueous systems of cyclomaltohexaose and alkyl glycosides, 101
- Kdo- α -glycosides, O-alkylation at the anomeric centre for the stereoselective synthesis of, 287
- Klebsiella* serotype K71, the use of bacteriophage-mediated depolymerisation in investigations of the structure of the capsular polysaccharide from, 409
- Lankanolide segments, stereocontrolled synthesis of, from 1,6-anhydro- β -D-glucopyranose (levoglucosan), 209
- Malondialdehyde, reaction of amino sugars with, 167
- Mannopyranoside, synthesis of methyl 3-O- α -D-galactopyranosyl-6- α -D-mannopyranosyl- α -D-, and related trisaccharide glycosides, 475
- Mass spectrometry, analysis of oligosaccharide epitopes of meningococcal lipopolysaccharides by f.a.b.-, 59
- Mass spectrometry, high-sensitivity structural analyses of oligosaccharide probes (neoglycolipids) by liquid-secondary-ion, 47
- N-p-Methoxybenzylidene derivatives of 2-amino-2-deoxy-D-glucose as glycosyl donors, a reinvestigation of the use, 319
- Methyl hexa-O-acetylacerviosin and the 6-acetoxy analogue, synthesis of, 486
- Methyl 3,6-di-O-benzoyl-2-deoxy-2-hydroxyamino- α -D-hexopyranosid-4-uloses, a configurational reassignment of N-substituted, 469
- Methyl 3-O- α -D-galactopyranosyl-6-O- α -D-mannopyranosyl- α -D-mannopyranoside and related trisaccharide glycosides, synthesis of, 475
- Nigeran, details of the fine structure of, revealed by the kinetics of its oxidation by periodate, 403
- 1-Nitroalditols, 1-deoxy-, crystal structures of, 339
- N.m.r. and conformational analysis of the terminal trisaccharide from the serologically active glycolipid of *Mycobacterium leprae* in different solvents, 33
- Nonasaccharide sequence of "bisected" structure of N-glycoproteins, synthesis of, 127
- Nucleosides related to goniothalenol, a short route to α,β -unsaturated-7,3-lactone-, 493
- Oligosaccharide epitopes of meningococcal lipopolysaccharides, analysis by f.a.b.-mass spectrometry, 59
- Oligosaccharide probes (neoglycolipids), high-sensitivity structural analyses of, by liquid-secondary-ion mass spectrometry, 47
- Oligosaccharides, structural analysis of xyloglucan, by ¹H-n.m.r. spectroscopy and f.a.b.-mass spectrometry, 9
- Oxidation by periodate, details of the fine structure of nigeran revealed by the kinetics of its, 403
- Pivaloylation, syntheses of hepta-, hexa-, and penta-pivalates of trehalose by selective, 307
- Polysaccharide of *Escherichia coli* O9:K57:H32, a structural investigation of the capsular, 449
- Polysaccharide from *Klebsiella* serotype K71, the use of bacteriophage-mediated depolymerisation in investigations of the structure of the capsular, 409

- Preparation of per-2,6-di-*O*-methylcyclomalto-oligosaccharides, a convenient, 481
- Pseudodisaccharide (3,4,6/5)-3,4-epoxy-6-(β -D-galactopyranosylthio)-5-hydroxycyclohexene, synthesis of the diastereoisomers of the, 355
- Purification of α -L-fucosidase by C-glycosylic affinity chromatography, and the enzymic synthesis of α -L-fucosyl disaccharides, 391
- Pyruvic 4,6-acetals of D-hexopyranose residues, a stereoselective synthesis of, 247
- Reaction of amino sugars with malondialdehyde, 167
- Reactive pseudo-oligosaccharides as potential irreversible inhibitors for sugar-binding proteins: synthesis of the diastereoisomers of (3,4,6/5)-3,4-epoxy-6-(β -D-galactopyranosylthio)-5-hydroxycyclohexene, 355
- Ring-opening reactions of 4-chloro-4-deoxy- α -D-galactopyranosyl 3,4-anhydro-1,6-dichloro-1,6-dideoxy- β -D-lyxo-hexulofuranoside, synthesis and, 189
- Routes to enantiomerically pure 3-aminoinosose derivatives, 237
- Sialyl-lactotetraosylceramide and sialylneolactotetraosylceramide, stereoselective synthesis of, 269
- Sialyloligosaccharides, the use of immobilised glycosyltransferases in the synthesis of, 257
- Simple preparation of 2,3,4,6-tetra-*O*-acetyl 1-*S*-acetyl-1-thio- α -D-glucopyranose, 497
- Stereocontrolled synthesis of lankanolide from 1,6-anhydro- β -D-glucopyranose (levoglucosan): synthesis of the C-1/7 and C-8/15 segments, 209
- Stereoselective synthesis of Kdo- α -glycosides, *O*-alkylation at the anomeric centre for the, 287
- Stereoselective synthesis of pyruvic 4,6-acetals of D-hexopyranose residues, 247
- Stereoselective synthesis of sialyl-lactotetraosylceramide and sialylneolactotetraosylceramide, 269
- Structural analysis of xyloglucan oligosaccharides by ^1H -n.m.r. spectroscopy and f.a.b.-mass spectrometry, 9
- Structural investigation of the capsular polysaccharide of *Escherichia coli* O9:K57:H32, 449
- Structure of *Escherichia coli* K26 antigen, 457
- N*-Substituted (β -D-galactopyranosylmethyl)amines, and C- β -D-galactopyranosylformamides, and related compounds, 111
- N*-Substituted methyl 3,6-di-*O*-benzoyl-2-deoxy-2-hydroxyamino- α -D-hexopyranosid-4-uloses: a configurational reassignment, 469
- Syntheses of hepta-, hexa-, and penta-pivalates of trehalose by selective pivaloylation, 307
- Syntheses of 5-*O*- and 3,5-di-*O*-(β -D-galactofuranosyl)-D-galactofuranose, convenient, 227
- Synthesis and ring-opening reactions of 4-chloro-4-deoxy- α -D-galactopyranosyl 3,4-anhydro-1,6-dichloro-1,6-dideoxy- β -D-lyxo-hexulo-furanoside, 189
- Synthesis of a trehalose homolog, 6-deoxy- α -D-glucopyranosyl 6-deoxy- α -D-glucopyranoside, and the corresponding bis(haptosiduronic acid), 377
- Synthesis of (1 \rightarrow 4)-linked galacturonic acid trisaccharides, a proposed plant wound-hormone and a stereoisomer, 363
- Synthesis of methyl hexa-*O*-acetylcarviosin and the 6-acetoxy analogue, 486
- Synthesis of methyl 3-*O*- α -D-galactopyranosyl-6-*O*- α -D-mannopyranosyl- α -D-mannopyranoside and related trisaccharide glycosides, 475
- Synthesis of *O*- α -D-mannopyranosyl-(1 \rightarrow 4)-*O*- α -D-rhamnopyranosyl-(1 \rightarrow 3)-D-galactose and an intermediate for the preparation of 2-*O*-glycosyl-3-*O*-(α -D-mannopyranosyl)-D-glucoses, 201
- Synthesis of sialyl-lactotetraosylceramide and sialylneolactotetraosylceramide, stereoselective, 269
- "Tetra-axial" derivatives of 2,3,4-tri-*O*-benzoyl- β -D-xylopyranose, on the extent of chair distortion in, 91
- 2,3,4,6-Tetra-*O*-acetyl-1-*S*-acetyl-1-thio- α -D-glucopyranose, a simple preparation of, 497
- 1-Thio- α -D-glucopyranose, a simple preparation of 2,3,4,6-tetra-*O*-acetyl-1-*S*-acetyl-, 497
- Trehalose homolog (6-deoxy- α -D-glucopyranosyl 6-deoxy- α -D-glucopyranoside), synthesis of a, and the corresponding bis(haptosiduronic acid), 377
- Trehalose, syntheses of hepta-, hexa-, and penta-pivalates of, by selective pivaloylation, 307
- 2,3,4-Tri-*O*-benzoyl- β -D-xylopyranose, on the extent of chair distortion in "tetra-axial" derivatives of, 91
- Trisaccharide from the serologically active glycolipid of *Mycobacterium leprae* in different solvents, n.m.r. and conformational analysis of the terminal, 33
- Trisaccharides (a proposed plant wound-hormone and a stereoisomer), synthesis of (1 \rightarrow 4)-linked galacturonic acid, 363
- α , β -Unsaturated-7,3-lactone-nucleosides via an intramolecular Wittig reaction: a short route to nucleosides related to goniothalenol, 493
- Use of immobilised glycosyltransferases in the synthesis of sialyloligosaccharides, 257
- X-ray and conformational investigation of 6-deoxy-7-*C*-(2-furyl)-1,2,3,4-di-*O*-isopropylidene-1-glycero- α -D-galactopyranose, 1
- Xyloglucan oligosaccharides, structural analysis of, by ^1H -n.m.r. spectroscopy and f.a.b.-mass spectrometry, 9